Please check the examination details be	low before enter	ing your candidate information
Candidate surname		Other names
Centre Number Candidate N Cand		al GCSE (9–1)
Time 2 hours	Paper reference	4CH1/1C 4SD0/1C
<b>Chemistry</b> UNIT: 4CH1 Science (Double Award) 43 PAPER: 1C	SD0	* •
You must have: Calculator, ruler		Total Marks

### Instructions

- Use **black** ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided there may be more space than you need.
- Show all the steps in any calculations and state the units.

# Information

- The total mark for this paper is 110.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

# Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.





Turn over 🕨



elative atomic masses of copper and chlorine have not been rounded to the nearest whole number.	
The rel	

\* The lanthanoids (atomic numbers 58–71) and the actinoids (atomic numbers 90–103) have been omitted.

0 4:	helium 2	20 Ne 10	40 <b>Ar</b> argon 18	84 Krypton 36	131 <b>Xe</b> xenon 54	[222] <b>Rn</b> 86	: full y
~		19 fluorine 9	35.5 CI chlorine 17	80 Br <sup>bromine</sup> 35	127   iodine 53	[210] At astatine 85	orted but not
9		16 O <sup>oxygen</sup> 8	32 Sulfur 16	79 <b>Se</b> 34	128 <b>Te</b> tellurium 52	[209] <b>Po</b> <sup>polonium</sup> 84	ave been rep I
5		14 N nitrogen 7	31 P phosphorus 15	75 <b>As</b> arsenic 33	122 <b>Sb</b> antimony 51	209 <b>Bi</b> <sup>bismuth</sup> 83	s 112–116 ha authenticated
4		12 carbon 6	28 <b>Si</b> 14	73 <b>Ge</b> germanium 32	119 8 <b>n</b> 50	207 <b>Pb</b> <sup>lead</sup> 82	Elements with atomic numbers 112–116 have been reported but not fully authenticated
б		11 boron 5	27 AI aluminium 13	70 <b>Ga</b> 31	115 Indium 49	204 TI 81	ents with atc
				65 Zn 30	112 Cd cadmium 48	201 <b>Hg</b> 80	Elem
				63.5 Cu 29	108 <b>Ag</b> 81Ver 47	197 <b>Au</b> 79	[272] <b>Rg</b> 111
				59 Ni 28	106 Pd <sup>palladium</sup> 46	195 Pt <sup>platinum</sup> 78	[271] <b>DS</b> darmstadtium 110
				59 Co cobalt 27	103 <b>Rh</b> 45	192 I <b>r</b> 77	[268] Mt 109
:	hydrogen 1			56 iron 26	101 <b>Ru</b> ruthenium 44	190 <b>Os</b> <sup>osmium</sup> 76	[277] <b>HS</b> hassium 108
				55 Mn <sup>manganese</sup> 25	[98] Tc 43	186 <b>Re</b> 15	[264] <b>Bh</b> bohrium 107
		mass <b>ool</b> umber		52 Cr chromium 24	96 Mo 42	184 <b>W</b> tungsten 74	[266] <b>Sg</b> 106
	Key	relative atomic mass atomic symbol <sup>name</sup> atomic (proton) number		51 V vanadium 23	93 <b>Nb</b> 11	181 Ta <sup>tantalum</sup> 73	[262] <b>Db</b> dubnium 105
		relativ atc		48 Ti <sup>titanium</sup> 22	91 Zr <sup>zirconium</sup> 40	178 Hf <sup>hafnium</sup> 72	[261] <b>Rf</b> <sup>nutherfordium</sup> 104
				45 Sc scandium 21	89 yttrium 39	139 La* Ianthanum 57	[227] <b>Ac*</b> actinium 89
7		9 B <b>e</b> <sup>beryllium</sup>	24 <b>Mg</b> 12	40 <b>Ca</b> calcium 20	88 <b>Sr</b> strontium 38	137 <b>Ba</b> <sup>barium</sup> 56	[226] <b>Ra</b> 88
~		7 Li <sup>lithium</sup> 3	23 <b>Na</b> sodium 11	39 K potassium 19	85 <b>Rb</b> <sup>rubidium</sup> 37	133 <b>Cs</b> caesium 55	[223] <b>Fr</b> <sup>francium</sup> 87

The Periodic Table of the Elements

2

DO NOT WRITE IN THIS AREA

	Answer ALL questions.	
	Some questions must be answered with a cross in a box $\boxtimes$ . If you change your min answer, put a line through the box $\boxtimes$ and then mark your new answer with a c	
1	The diagram shows the electronic configuration of an atom of an element.	
	(a) Name the part of the atom that contains the protons and neutrons.	(1)
	(b) Give the number of protons in this atom.	(1)
	(c) Give the number of the group that contains this element.	(1)
	(d) Give the number of the period that contains this element.	(1)
	(e) Give the charge on the ion formed from this atom.	(1)
	(Total for Question 1 = 5 ma	arks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

2 (a) The box shows some changes of s	state.
---------------------------------------	--------

boiling	condensation	evaporation	
freezing	melting	sublimation	

The table lists some physical changes.

Complete the table using words from the box to show the change of state for each physical change.

(4)

Physical change	Change of state
water to ice	
steam to water	
solid wax to liquid wax	
iodine crystals to iodine vapour	

(b) A student plans to obtain salt crystals from a mixture of salt and sand.

The student adds pure water to the mixture to dissolve the salt.

1.....

(i) State two things the student could do to make the salt dissolve quickly.

(2)

2

(ii) State what the student should do next to separate the sand from the salt solution.

(1)



		Describe how the student can obtain pure dry crystals of salt from the	
EA		salt solution.	(4)
<b>DO NOT WRITE IN THIS AREA</b>			
11 N			
WRITE			
NOT			
00			
EA			
HIS AR			
1 N			
NOT WRITE IN THIS AREA			
NOT		(Total for Question 2 = 11 mai	·ks)
ă			
REA			
HIS AF			
DO NOT WRITE IN THIS AREA			
WRIT			
TON O			
ā			
*******		$  \begin{array}{cccccccccccccccccccccccccccccccccccc$	5 Turn over 🕨



(b) One of the compounds in fraction D is tridecane (C <sub>13</sub> H <sub>28</sub> ) which can be cracked to form shorter-chain hydrocarbons.	
(i) State the catalyst and temperature used in this cracking reaction.	(2)
catalyst	(2)
temperature	
(ii) The equation shows an example of a catalytic cracking reaction.	
$C_{13}H_{28} \rightarrow C_8H_{18} + C_2H_4 + C_3H_6$	
Give two reasons why this reaction is important.	(2)
1	
2	
(c) Sulfur is an impurity in crude oil. Explain why this is a problem for the environment.	
	(3)
(Total for Question 3 = 10 ma	arks)
	7



DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

(b) The syringe in the diagram shows the reading at the end of the experiment.

Complete table 1 to show the readings on the syringe.

Give both values to the nearest 1 cm<sup>3</sup>.

(2)

syringe reading at start	
syringe reading at end	
change in volume in cm <sup>3</sup>	65

#### Table 1

(c) The student repeats the experiment and obtains a different set of results.

Table 2 shows these results.

volume of air in conical flask and glass tube in cm <sup>3</sup>	260
syringe reading at start	90
syringe reading at end	22

#### Table 2

Use the results from table 2 to calculate the percentage by volume of oxygen in the air.

(3)

percentage by volume of oxygen in air = ......%

### (Total for Question 4 = 10 marks)



9



P 7 0 9 4 5 A 0 1 0 2 8

Describe the differences in the reactions of ethane	
Refer to the conditions, the products and the type	s of reaction involved. (5)
	(Total for Question 5 = 11 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

P 7 0 9 4 5 A 0 1 1 2 8





A student uses this apparatus to investigate the reaction between magnesium and 6 dilute hydrochloric acid. gas syringe dilute magnesium hydrochloric acid ribbon 8 (a) The word equation for the reaction is magnesium + hydrochloric acid  $\rightarrow$  magnesium chloride + hydrogen (i) Complete the chemical equation for this reaction. (1) (ii) Give the test for hydrogen. (1) (iii) The student uses 0.090 g of magnesium and 0.025 mol of hydrochloric acid. Show by calculation that the hydrochloric acid is in excess. (2)



13

(b) The student measures the volume of hydrogen collected at regular intervals until the reaction stops.

The table shows the student's results.

Time in s		0	15	30	45	60	75
Volume of hydroger	n in cm <sup>3</sup>	0	40	68	80	88	88
) Plot the student's re	esults.	-	<u></u>				(1
i) Draw a curve of bes	st fit.						(1
Volume of hydrogen in cm³	100 - 80 - 60 -						( -
in cm <sup>3</sup>	40-						
	0-	20		40 e in s	60	80	
ii) Determine the volu	me of hye	drogen co	ollected i	n the first	: 10 secor	nds.	

Show on the graph how you obtained your answer.

(2)

volume of hydrogen = ...... cm<sup>3</sup>

	(2)
The student repeats the experiment at a temperature 5 °C higher than the original temperature.	
All other conditions are kept the same.	
(i) On the grid, draw the curve you would expect the student to obtain.	(2)
(ii) Explain, in terms of particle collision theory, how increasing the temperature affects the rate of reaction.	
	(3)
(Total for Question 6 = 15 ma	arks)



DO NOT WRITE IN THIS AREA

<ul><li>This question is about copper and copper compounds.</li><li>(a) A sample of copper contains two isotopes.</li></ul>	
<ul> <li>Cu-63 with relative abundance 69.5%</li> </ul>	
<ul> <li>Cu-65 with relative abundance 30.5%</li> </ul>	
(i) State what is meant by the term <b>isotopes</b> .	
(i) state mat is meane by the term <b>isotopes</b> .	(2)
(ii) Calculate the relative atomic mass $(A_r)$ of this sample of copper.	
Give your answer to three significant figures.	(2)
	(3)
A <sub>r</sub> of copper =	



- (b) When copper(II) carbonate is heated, copper(II) oxide and carbon dioxide are formed. (i) What is the name of this type of reaction? (1) decomposition  $\boldsymbol{\times}$ Α neutralisation  $\mathbf{X}$ В oxidation  $\mathbf{X}$ С  $\mathbf{X}$ **D** reduction (ii) Which colour change occurs during this reaction? (1) blue to black  $\mathbf{X}$ Α  $\times$ blue to white В  $\mathbf{X}$ green to black С
  - D green to orange



(c) A student uses this apparatus to find the value of x in the formula  $CuSO_4.xH_2O$ 



This is the student's method.

- find the mass of an empty boiling tube
- add hydrated copper(II) sulfate to the tube and record the new mass
- heat the hydrated copper(II) sulfate until it changes colour
- allow the tube to cool and record the mass again



The table shows t	he student's results.				
	mass of empty tube in g	20.52			
	mass of tube and CuSO <sub>4</sub> .xH <sub>2</sub> O in g	31.77			
	mass of tube and $CuSO_4$ in g	28.20			
(i) Calculate the	mass of CuSO₄ formed.			(1)	
	ma	ass of $CuSO_4 = 1$			g
(ii) Calculate the	mass of water formed.			(1)	
	m	ass of water = .			g
(iii) Show that the	value of x is approximately 4				
$[M_r \text{ of } CuSO_4 = 159.5 \qquad M_r \text{ of } H_2O = 18]$				(3)	
(iv) The actual val					
Give a reason	why the calculated value of x is lower	than the actua	l value.	(1)	
	(Tot	al for Questio	n 7 = 13 m	arks)	



Diamond and graphite are giant covalent structures made of carbon atoms.	
The diagram shows their structures.	
Diamond Graphite	
(a) Discuss the differences between diamond and graphite.	
Refer to structure and bonding, electrical conductivity and hardness in your answer.	
(6)	
	DO MOT MUTETA THO ANEA
	J 🎆

(b)  $C_{60}$  fullerene is a simple molecular substance made of 60 carbon atoms.

The diagram shows its structure.



The table shows the approximate melting points of diamond, graphite and  $C_{\rm 60}$  fullerene.

Substance	Approximate melting point in °C
diamond	4000
graphite	3600
C <sub>60</sub> fullerene	600

Explain why  $\mathsf{C}_{\scriptscriptstyle 60}$  fullerene has a much lower melting point than diamond and graphite.







a) Yellow lead oxide (	PbO) can be reacted with hydrogen to produce lead.	
	quation for the reaction by adding the missing state sy	umbols
(i) complete the c	quality for the reaction by adding the missing state sy	(1)
PbO(s) +	$H_2() \rightarrow Pb() + H_2O()$	)
(ii) What is the cha	rge on the lead ion in PbO?	
	ge en ale lead len in loor	(1)
🖾 <b>A</b> 1–		
🖾 <b>B</b> 1+		
🖾 <b>C</b> 2–		
☑ D 2+		
(iii) Explain why the redox reaction.	e reaction of yellow lead oxide with hydrogen is a	
		(2)
(iv) Describe a phy	ical test to show that the water produced in this reacti	00
is pure.	ical test to show that the water produced in this reacti	
		(2)



(b) When red lead oxide  $(Pb_3O_4)$  is heated, yellow lead oxide forms.

The equation for the reaction is

 $2Pb_{3}O_{4} \rightarrow 6PbO + O_{2}$ 

A scientist heats a known mass of red lead oxide in a crucible in a fume cupboard.

The scientist leaves the crucible to cool, then records the total mass of the crucible and its contents.

(i) Describe what the scientist should do next to make sure that all the red lead oxide has reacted.

(2)

(ii) The red lead oxide used in the reaction has a mass of 5.48 g.

Calculate the maximum mass of yellow lead oxide that could form.

 $[M_r \text{ of } Pb_3O_4 = 685 \qquad M_r \text{ of } PbO = 223]$ 

(3)

(Total for Question 9 = 11 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

P 7 0 9 4 5 A 0 2 3 2 8

- **10** This question is about ammonia and ammonium compounds.
  - (a) Ammonia (NH<sub>3</sub>) is a simple covalent molecule.

Draw a dot-and-cross diagram to show the bonding in a molecule of ammonia.

(2)

(b) The table shows the names and formulae of some ammonium compounds.

Name	ammonium sulfate		ammonium carbonate
Formula	(NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub>	NH₄Cl	

(i) Complete the table by giving the missing information.

(2)

DO NOT WRITE IN THIS AREA



(ii) When ammonia reacts with sulfuric acid, ammonium sulfate is formed.	
Write a chemical equation for this reaction.	(1)
(iii) Describe a test for ammonium ions.	(3)
	Write a chemical equation for this reaction.

(c) The table gives some information about ammonia and ammonium compounds.

Name	Formula	Percentage of nitrogen (%)	Approximate pH in solution
ammonia	NH₃(g)	82	11
ammonium nitrate	NH <sub>4</sub> NO <sub>3</sub> (s)		5.5
ammonium sulfate	(NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> (s)	21	5.5

(i) Calculate the percentage of nitrogen in ammonium nitrate.

 $[M_{\rm r} \text{ of } NH_4 NO_3 = 80]$ 

(2)

DO NOT WRITE IN THIS AREA

percentage of nitrogen = ...... %



Ammonia and ammonium sulfate can both be used as fertilisers.

Discuss the advantages and disadvantages of using each of these compounds as fertilisers.

Use information from the table in your answer.

[pH of rainwater is approximately 5.6]

(4)

(Total for Question 10 = 14 marks)

**TOTAL FOR PAPER = 110 MARKS** 





