Please check the examination details bel	ow before ente	ring your candidate information
Candidate surname		Other names
Centre Number Candidate No Pearson Edexcel Inter		al GCSE (9-1)
Time 2 hours	Paper reference	4CH1/1CR 4SD0/1CR
Chemistry		0 •
UNIT: 4CH1		
Science (Double Award) 49 PAPER: 1CR	SD0	
You must have: Calculator, ruler		Total Marks

Instructions

- Use black ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Show all the steps in any calculations and state the units.

Information

- The total mark for this paper is 110.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶





The Periodic Table of the Elements

0 4 He helium 2	20 Ne neon 10	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86	fully
7	19 F fluorine 9	35.5 CI chlorine 17	80 Br bromine 35	127 	[210] At astatine 85	orted but not
9	16 O oxygen 8	32 S sulfur 16	79 Se selenium 34	128 Te tellurium 52	[209] Po polonium 84	ve been repo
5	14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83	s 112–116 ha authenticated
4	12 carbon 6	28 Si silicon 14	73 Ge germanium 32	119 Sn th 50	207 Pb lead 82	Elements with atomic numbers 112–116 have been reported but not fully authenticated
ဇ	11 B boron 5	27 AI aluminium 13	70 Ga gallium 31	115 In indium 49	204 TI thallium 81	ents with ato
·			65 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80	Elem
			63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79	Rg roentgenium
			59 Ni 28	106 Pd palladium 46	195 Pt platinum 78	Ds darmstadtium 110
			59 Co cobalt 27	103 Rh rhodium 45	192 F indium 77	[268] Mt meitnerium 109
1 H hydrogen			56 iron 26	101 Ru ruthenium 44	190 Os osmium 76	[277] Hs hassium 108
			55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75	[264] Bh bohnium 107
	mass bol lumber		52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74	[266] Sg seaborgium 106
Key	relative atomic mass atomic symbol name atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73	[262] Db dubnium 105
	relatir atc atomic		48 Ti tttanium 22	91 Zr zirconium 40	178 Hf hafnium 72	[261] Rf rutherfordium 104
			45 Sc scandium 21	89 × yttrium 399	139 La * lanthanum 57	[227] Ac* actinium 89
2	9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	Sr strontium 38	137 Ba barium 56	[226] Ra radium 88
-	7 Li Ilthium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55	[223] Fr francium 87


^{*} The lanthanoids (atomic numbers 58–71) and the actinoids (atomic numbers 90–103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

Answer ALL questions.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

1 The diagram shows how the particles are arranged in the three states of matter.



(a) Use words from the box to identify the changes of state X, Y and Z.

condensing	cooling	crystalli	sing	diffusing
evapo	rating	freezing	heatin	ıg

(b) Describe the differences in the movement of particles in solids and gases.

(2)

(Total for Question 1 = 5 marks)

(3)

- **2** This question is about gases in the atmosphere.
 - (a) (i) Name the most abundant gas in the atmosphere.

(1)


(ii) Name the noble gas that makes up about 1% of the atmosphere.

(1)

(iii) Name a greenhouse gas in the atmosphere.

(1)

(b) A student uses this apparatus to determine the percentage of oxygen in a sample of air.



This is the student's method.

- measure the initial length of the column of air in the tube
- leave the apparatus for one week
- · measure the final length of the column of air

The table shows the student's results.

initial length of column of air in mm	84
final length of column of air in mm	69



(i) S	state the appearance	of the iron woo	ol after one week.
-------	----------------------	-----------------	--------------------

(1)

(ii) Use the student's results to show that the percentage of oxygen in the sample of air is approximately 18%.

(2)

(iii) The actual percentage of oxygen in air is approximately 21%.

Give a reason why the percentage of air calculated from the student's results is less than 21%.

(1)

(Total for Question 2 = 7 marks)



- 3 This question is about alkanes.
 - (a) An alkane has the structural formula $CH_3CH_2CH_2CH_3$ Give the missing information for this alkane.

(4)

structural formula	CH ₃ CH ₂ CH ₂ CH ₃
name	
	C ₄ H ₁₀
empirical formula	
	C_nH_{2n+2}

- (b) There are two isomers of C_4H_{10}
 - (i) State what is meant by the term **isomers**.

(2)

(ii) Draw the displayed formula of each isomer of C_4H_{10}

(2)

Isomer 1	Isomer 2



(1) (3)	ve the for	rmula of the other product.	(1)
(ii) W	nat is the	name of this type of reaction?	(1)
×	A add	dition	(1)
X	B dec	composition	
×	C neu	utralisation	
×	D sub	ostitution	
(iii) St	ate the co	ondition needed for this reaction to occur.	(1)
are fo	rmed.	C_2H_6) burns in a plentiful supply of air, carbon dioxide and water nical equation for this reaction.	(2)
(ii) W	nen the a	ir supply is limited, incomplete combustion occurs.	
	plain why humans	y a gas formed by incomplete combustion can cause a problem	(2)



BLANK PAGE

4 A student investigates the effect of temperature on the rate of reaction between two solutions, A and B. When the reaction occurs, the mixture turns from colourless to blue.

This is the student's method.

- pour 25 cm³ of solution A into a conical flask
- add solution B and measure the temperature of the mixture
- record the time taken for the mixture to turn blue

The student repeats this method at different temperatures.

(a) Give two variables that the student needs to keep constant in this investigation.

(2)

1	1	 																							



(b) The table shows the student's results.

Temperature in °C	15	20	25	35	45	65
Time taken in seconds	178	156	132	130	122	113

(i) Plot the student's results on the grid.


(1)

(ii) Draw a circle around the anomalous result.

(1)

(iii) Draw a curve of best fit.

(1)





(iv) Give a	roacon	for	tha	anom	علملاد	rocult	
(IV) Give a	reason	IOI	me	anom	aious	resuit	

(1)

(v) Use your graph to determine the time taken for the mixture to turn blue at $55\,^{\circ}$ C.

Show your working on the graph.

(2)

(c) Use information from the table to calculate the mean rate of reaction at 20 °C.

Use the expression

$$mean rate = \frac{1}{time in seconds}$$

Give your answer in standard form.

(2)


mean rate =
$$s^{-1}$$

(d) Explain how increasing the temperature affects the rate of a reaction.	
Refer to particle collision theory in your answer.	(3)
(Total for Question 4 =	= 13 marks)

BLANK PAGE



- **5** This question is about organic compounds.
 - (a) The diagram shows the displayed formula of methanoic acid.



(i) Give the total number of atoms in one molecule of methanoic acid.

(1)

(ii) Determine the relative molecular mass (M_r) of methanoic acid.

(1)

 $M_r = \dots$

(iii) Explain why methanoic acid is not a hydrocarbon.

(2)

- (b) The atoms in methanoic acid are held together by covalent bonds.
 - (i) State, in terms of electrostatic attractions, what is meant by the term **covalent bond**.

(2)

(ii) Draw a dot-and-cross diagram to show the bonding in a molecule of methanoic acid.

Show only the outer electrons of each atom.

(3)

(c) Calculate the empirical formula of the organic compound with this composition by mass.

$$C = 52.2\%$$

$$H = 13.0\%$$

$$O = 34.8\%$$

(3)

(Total for Question 5 = 12 marks)



6	This a	uestioi	n is a	about elements in Group 7 of the Periodic Table.	
				ement is a liquid at room temperature?	
					(1)
		X		astatine	
		X			
		X		chlorine	
		×	D	fluorine	
	(ii)	What	col	our is solid iodine?	(4)
		X	A	black	(1)
		X	В	dark brown	
		X	C	dark grey	
		X	D	purple	
					(2)
		sample mass.		chlorine, containing two isotopes, has this percentage composition	
				chlorine-35 71.2% chlorine-37 28.8%	
	Ca	lculate	e the	e relative atomic mass of this sample of chlorine.	
	Giv	ve you	r an	swer to one decimal place.	(3)
				relative atomic mass =	



(c)	A student is given an aqueous solution of chlorine and an aqueous solution of sodium iodide.	
	Explain how the student can use these solutions to compare the reactivity of chlorine with the reactivity of iodine.	
		(4)
	(Total for Question 6 = 11	marks)



7 (a) A teacher ignites a piece of magnesium ribbon and places it in a gas jar of oxygen.

This is the equation for the reaction.


$$2Mg\,+\,O_2\,\rightarrow\,2MgO$$

Give two observations that would be made during this reaction.

(2)

1	1	 										

(b) The teacher demonstrates the reaction between aluminium and iron(III) oxide.



The teacher ignites the magnesium fuse. A very exothermic reaction then occurs between aluminium powder and iron(III) oxide.

The products of the reaction are iron and aluminium oxide.

(i) State what is meant by the term **exothermic**.

(1)

(ii) Give a chemical equation for the reaction between aluminium and iron(III) oxide.

(1)


(iii) Explain why this reaction is a redox reaction.

(2)



(2)

(c) A student uses this apparatus to determine the formula of magnesium oxide.



This is the student's method.

- find mass of empty crucible and lid
- place some magnesium ribbon in crucible
- find mass of crucible, lid and magnesium ribbon
- heat crucible, lifting lid occasionally
- after five minutes, find mass of crucible, lid and magnesium oxide
- (i) Explain why the student lifts the lid.

(Total for Question 7 = 10 m	arks)
Describe what the student should do next to obtain a more accurate value for the mass of magnesium oxide.	or (2)
(ii) The mass of magnesium oxide formed is less than expected.	

- 8 This question is about the oxides of some elements in Group 4 of the Periodic Table.
 - (a) When 5.34 g of lead(II) carbonate are heated, lead(II) oxide and carbon dioxide are formed.

This is the equation for the reaction.

$$PbCO_3(s) \rightarrow PbO(s) + CO_2(g)$$

(i) Give the name for this type of reaction.

(1)


(ii) Calculate the maximum mass of lead(II) oxide that can be formed from 5.34 g of lead(II) carbonate.

[for PbCO₃,
$$M_r = 267$$
 for PbO, $M_r = 223$]

(2)

maximum mass =

(b) The diagram shows apparatus used to heat lead(II) carbonate.



(i) Complete the diagram to show what needs to be added to the apparatus to test that the gas released is carbon dioxide.

(2)

(ii) Give the result of the test.

(1)

(c	Silicon dioxide (SiO ₂) and carbon dioxide both contain covalent bonds.	
	Silicon dioxide is a solid with a high melting point. Carbon dioxide is a gas at room temperature.	
	Explain why silicon dioxide has a much higher melting point than carbon dioxide.	
	Refer to structure and bonding in your answer.	(4)
		(6)
	(Total for Question 8 = 12 ma	rks)

BLANK PAGE



- **9** A student uses the reaction between zinc powder and dilute nitric acid to prepare some zinc nitrate crystals.
 - (a) (i) Complete the equation for the reaction by adding the state symbols.

(1)

$$Zn (.....) + 2HNO_3 (....) \rightarrow Zn(NO_3)_2 (....) + H_2 (....)$$

(ii) State what the student would observe during this reaction.

(1)

- (b) In the preparation, the student adds an excess of zinc powder to some dilute nitric acid.
 - (i) State why the student uses an excess of zinc powder.

(1)




(ii) Describe what the student should do next to obtain pure, dry crystals of zinc nitrate.	of
	(5)
) The formula for the prime with the control in 70 (NO.) (NO.)	
The formula for the zinc nitrate crystals is Zn(NO ₃) ₂ .6H ₂ O	
When zinc nitrate crystals are heated, the products are zinc oxide, nitrogen dioxide (NO_2), oxygen and water.	
Complete the equation for this reaction.	(2)
$2Zn(NO_3)_2.6H_2O \rightarrow \dots + \dots$	
(Total for Question 9 =	= 10 marks)



(2)

10 A student uses this apparatus to find the heat energy change when ammonium nitrate dissolves in water to form a solution.




This is the student's method.

- add 50 cm³ of distilled water to the polystyrene cup and record the initial temperature of the water
- add a known mass of ammonium nitrate to the polystyrene cup and stir the mixture until all the solid dissolves
- record the minimum temperature of the ammonium nitrate solution
- (a) Give two reasons why the student stirs the mixture.

!	 	

(b) The diagram shows the minimum temperature of the solution.



Complete the table by giving the missing information.

Give both values to the nearest 0.1 °C.

(2)

initial temperature of distilled water in °C	23.4
minimum temperature of solution in °C	
temperature change in °C	

- (c) The student repeats the experiment, again using 50 cm³ water, and finds that the temperature change is 3.9 °C.
 - (i) Show that the heat energy change, Q, in this experiment is about 800 J.

[c = $4.2 J/g/^{\circ}C$ for the solution]

[mass = $1.0 \,\mathrm{g}$ for $1.0 \,\mathrm{cm}^3$ of solution]

(2)

(ii) The student uses 2.8 g of ammonium nitrate in this experiment.

Calculate the enthalpy change, ΔH , in kJ/mol.

Include a sign in your answer.

[for NH₄NO₃, $M_r = 80$]

(4)

.H =kJ/mol



t's results.	oper(II) sulfate to	
t's results. re of water in °C		
t's results. re of water in °C		
t's results. re of water in °C		
re of water in °C	23.2	
	23.2	
erature of solution in °C	28.5	
ow about the type of energy e dissolves in water.	change that occurs w	vhen (2)
(Tota	l for Question 10 = 1	5 marks)
	dissolves in water.	(Total for Question 10 = 1



BLANK PAGE

